



## MODEL OG15 SPECIFICATIONS

<p><b>REQUIRED SUPPLIES</b> ORCA Biochips, microorganisms &amp; wipers</p>	<p><b>DIMENSIONS</b> L 31.89" x W 26.77" x H 45.52" (L 81cm x W 58cm x H 108cm)</p>
<p><b>WEIGHT OF ORCA</b> 350 lbs (159 kg)</p>	<p><b>HOURLY PROCESSING CAPACITY</b> Average of 15 lbs (7 kg) per hour</p>
<p><b>ELECTRICAL USAGE</b> 0.43 kwh</p>	<p><b>WATER CONSUMPTION</b> 114 gallons (430 liters) per day* <small>*Calculated based on an incoming flow rate of 2 gallons (7.6 liters) per minute*</small></p>
<p><b>INSTALLATION REQUIREMENTS</b> Electrical - Dedicated 120V / 220V Electrical Cord Length - 36 - 48 inches (91 - 121 cm) Water - Cold 1/2 inch water connection Drain - 2 inch sanitary drain complete with grease interceptor Additional Space - A minimum of 24 inches (62cm) of free space must be available on both sides of the machine</p>	

## FEATURES

- Aerobically processes an average of 15 lbs (7 kg) of food waste per hour
- On-board scales for diversion tracking, with an extractable data file through Ethernet or USB
- Online customer portal for diversion goal tracking and reporting
- Food grade stainless steel construction
- Safety control turns off machine when door is opened
- Food waste can be added continually within the units designated capacity limits.
- Engineered for quiet operation, with a touch screen HMI
- Utilizes ORCA Biochips to hold high levels of microorganisms that digest organic waste
- Effluent from machine tested safe to enter wastewater system